PATENT COOPERATION TREATY

PCT

REC'D	3 0	JUN	2005
WIPO			PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

	т							
Applicant's or agent's file reference PWO-P001-037	FOR FURTHER AC	ACTION See Form PCT/IPEA/416						
International application No. PCT/IB2004/001244	International filing date (23.04.2004	day/month/year)	Priority date (day/month/year) 25.04.2003					
International Patent Classification (IPC) or na	L ational classification and IF	PC						
A61B17/88								
Applicant								
PRECIMED S.A. et al.								
			International Dualiminant Evenining					
This report is the international prei Authority under Article 35 and tran	This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.							
2. This REPORT consists of a total of	of 4 sheets, including th	is cover sheet.						
3. This report is also accompanied by	y ANNEXES, comprisin	g:						
a. 🛛 sent to the applicant and to		· ·						
	and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the							
		nich this Authority consid	ters contain an amendment that goes					
	beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the							
b. ☐ (sent to the International B	ureau only) a total of (in	dicate type and number	of electronic carrier(s)) , containing a					
sequence listing and/or tab Box Relating to Sequence			only, as indicated in the Supplemental nstructions).					
			•					
4. This report contains indications re	4. This report contains indications relating to the following items:							
☑ Box No. I Basis of the opin	nion		•					
☐ Box No. II Priority	_							
☐ Box No. III Non-establishme	ent of opinion with rega	rd to novelty, inventive step and industrial applicability						
☐ Box No. IV Lack of unity of	invention							
	•							
☐ Box No. VI Certain docume	nts cited							
☐ Box No. VII Certain defects	☐ Box No. VII Certain defects in the international application							
☐ Box No. VIII Certain observa	☐ Box No. VIII Certain observations on the international application							
Date of submission of the demand		Date of completion of this	report					
Date of Submission of the demand		Date of completion of this	терит					
24.11.2004		29.06.2005						
Name and mailing address of the internation	al	Authorized Officer						
preliminary examining authority:			the state of the s					
European Patent Office D-80298 Munich		Held, G	الأولى المالية					
Tel. +49 89 2399 - 0 Tx: 5236 Fax: +49 89 2399 - 4465	56 epmu d	Telephone No. +49 89 23	899-2248					
		10.000101101101101101000000000000000000	· Others each .					

INTERNATIONAL PRELIMINARY REPORT GN PATENTABILITY

International application No. PCT/IB2004/001244

	Box	k No. I	Basis of	the report					
 With regard to the language, this report is based on the international application in the language ir filed, unless otherwise indicated under this item. 							n which it was		
		which inte	is the languernational solication of	age of a trearch (und the interna	slations from the anslation furnish er Rules 12.3 ar tional applicatior examination (un	ned for the purp nd 23.1(b)) n (under Rule 1	oses of: 2.4)	ving language ,	
2.	hav	With regard to the elements* of the international application, this report is based on (replacement sheets have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in report as "originally filed" and are not annexed to this report):							

	Des	cription	, Pages						
	1-5				as originally filed				
	Clai	ims, Nu	mbers						
	1-14	4			filed with the den	nand			
	Dra	wings, S	Sheets						
	1/7-	•			as originally filed				
		a sequ	ience listing	g and/or an	y related table(s) - see Suppler	nental Box Relat	ting to Sequence I	Listing
3.		The amendments have resulted in the cancellation of:							
			description						
			claims, No drawings,				·		
		□ the	sequence	listing (spe	ecify):	anacif ():			
		ப any	/ table(s) re	elated to se	equence listing (s	<i>вресну).</i>			
4.	□ had Sup	had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).							
			description claims, No						
		□ the	drawings,	sheets/figs					
			sequence		ecify): equence listing (s	specify)·			
	*						ets may be ma	arked "superse	eded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/001244

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-14

No:

Inventive step (IS)

Yes: Claims

Claims

1-14

No: Claims

Industrial applicability (IA)

Yes: Claims

1-14

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following document:

D1: US-A-6 299 616

The document D1 is regarded as being the closest prior art to the subject-matter of independent claim 1 and shows (the references in parentheses applying to this document): A surgical ratchet having a handle (52), a driver received within the handle in a rotatable relationship with respect thereto, a ratcheting mechanism interposed between the handle and driver (implicit).

The subject-matter of claim 1 differs from the device disclosed in D1 in that a locking mechanism releasably holds the handle to the ratchet mechanism and wherein displacing of the locking mechanism to an unlock position moves a locking obstruction out of an obstructing position.

The problem to be solved is a surgical ratchet that is easy to disassemble for cleaning so as to better ensure sterilization.

A detachable ratchet mechanism is not known from prior art documents. Therefore, the solution proposed in claim 1 is considered as being novel and involving an inventive step. Thus, claim 1 fulfills the requirements of Article 33(2) and (3) PCT.

Claims 11 and 14 which are defined as independent claims also define the essential features of claim 1 and therefore are considered as being allowable.

Claims 2-10 and 12-13 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

WO 2004/096069

PCT/IB2004/001244

EPO - DG 1

AMENDED CLAIMS

[received by the International Bureau on 04 October 2004 (04.10.2004); original claims 1-14 replaced by amended claims 1-14 (3 pages)]

30. 11. 2004

- (75)
- A surgical ratchet (10) having a handle (10), a driver (14) received within the handle in a rotatable relationship with respect thereto, a ratcheting mechanism (16) interposed between the handle and driver, and a locking mechanism (20) releasably holding the handle to the ratchet mechanism, wherein displacing of the locking mechanism to an unlock position moves a locking obstruction (32) out of an obstructing position thereby permitting easy release of the ratchet mechanism from the handle and ready ... disassembly of the ratchet mechanism from the handle.
- The ratchet (10) of claim 1, wherein the locking mechanism (20) comprises a ring (24) rotatable on the handle (12), the ring having a surface selectively biasing a ball (32) into or out of a recess (34) to engage or disengage the ratchet mechanism (16) to lock or unlock the assembly.
- The ratchet (10) of claim 1, wherein the locking mechanism (20) comprises a surface against which a user may apply pressure to effectuate a change in interactivity of components in order to engage or disengage the ratchet mechanism (16) to lock or unlock the assembly.
- The ratchet (10) of claim 1, wherein a selector (50) enables a user to activate, disactivate, or lock the ratcheting mechanism (16).
- The ratchet (10) of claim 1, wherein the locking mechanism (20) is comprised of a selector (50) having a position in which at least one pawl (44, 46) is in an engaged position, wherein, when the selector is in the engaged position, the at least one pawl locks the ratchet mechanism against free movement in a selected direction.
- The ratchet (10) of claim 1, wherein the locking mechanism (16) is comprised of a selector (50) having
 - a position in which at least one pawl (44, 46) is in a released position, wherein, when the selector is in the released position, the at least one pawl disengages the ratchet mechanism, thus permitting free motion in either direction.

WO 2004/096069

PCT/IB2004/001244

- 7 The ratchet (10) of claim 1, wherein a portion of the driver (14) protrudes from an end (36) of the handle (12), thereby presenting an impaction surface enabling the ratchet to be used as an impactor.
- 8 The ratchet (10) of claim 1, wherein the ratcheting mechanism (16) comprises
 - (a) a housing (22) in which left and right hand pawls (44, 46) are pivotably connected and selectively pivotably engageable by a cam selection device (50) for selection of a ratcheting direction; and
 - (b) a toothed hub (52) connected, at least indirectly, to the handle.
- The ratchet (10) of claim 8, wherein the cam selection device (50) comprises a cam having a cam surface (53) against which an end (66, 67) of the at least one pawl (44, 46) rides and wherein relative movement of the cam surface to the end of the at least one pawl causes the pawl to pivot in a prescribed manner.
- The ratchet (10) of claim 8, wherein an end (66, 67) of the at least one pawl (44, 46) engaging the toothed hub (52) is formed so as to permit relative rotation with respect to the hub in one rotational direction, and to block rotation in the opposite rotational direction.
- A surgical ratchet (10) having a handle (12), a driver (14) received within the handle in a rotatable relationship with respect thereto, a ratcheting mechanism (16) interposed between the handle and driver, and a locking mechanism (20) releasably holding the handle to the ratchet mechanism,

wherein the locking mechanism (20) comprises a ring (24) rotatable on the handle, the ring having a surface (53) which selectively biases a ball (32) into or out of a recess (34) to engage or disengage the ratchet mechanism (16) to lock or unlock the assembly, whereby displacing of the locking mechanism (20) into an unlock position moves a locking obstruction (32) out of an obstructing position thereby permitting easy release of the ratchet mechanism from the handle and ready disassembly of the ratchet mechanism from the handle,

wherein the ratcheting mechanism (16) comprises

WO 2004/096069

PCT/IB2004/001244

- (a) a housing (22) in which left and right hand pawls (44, 46) are pivotably connected and selectively pivotably engageable by a cam selection device (50) for selection of a ratcheting direction, the cam selection device comprising a cam having a cam surface against which an end of the at least one pawl rides and wherein relative movement of the cam surface to the end of the at least one pawl causes the pawl to pivot in a prescribed manner;
 - (b) a toothed hub (52) connected, at least indirectly, to the handle, and
- (c) a selector (50) which has a position in which at least one pawl (44, 46) is in an engaged position, wherein, when the selector is in the engaged position, the at least one pawl locks the ratchet mechanism against free movement in a selected direction, thus enabling a user to activate, disactivate, or lock the ratcheting mechanism.
- The ratchet (10) of any of the foregoing claims, wherein the handle (12) is a T-bar (138).
- 13 The ratchet (10) of any one of claims 1-11, wherein the handle (12) includes an interface (140) for receiving a T-bar attachment (138).
- 14 A tool kit (150) for surgical use, the tool kit including at least the following components:
 - (a) a surgical ratchet (10) having a handle (12), a driver (14) received within the handle in a rotatable relationship with respect thereto, a ratcheting mechanism (16) interposed between the handle and driver, and a locking mechanism (20) releasably holding the handle to the ratchet mechanism, wherein displacing of the locking mechanism to an unlock position moves a locking obstruction (32) out of an obstructing position, thereby permitting easy release of the ratchet mechanism from the handle and ready disassembly of the ratchet mechanism from the handle;
 - (b) at least one tool selected from a group of tools consisting of drills (134), taps
 - (136), guide pins (130), screwdrivers (132), reamer drivers, and wire introducers; and
 - (c) a case (160) for receiving the ratchet and the at least one tool.

